Product name:	WD-40® Multi-Use Product	Page:	1/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: WD-40® Multi-Use Product

Container size:

 $100\ \text{ml},\,125\ \text{ml},\,150\ \text{ml},\,200\ \text{ml},\,240\ \text{ml},\,250\ \text{ml},\,300\ \text{ml},\,400\ \text{ml},\,420\ \text{ml}$

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Universal lubricant.

1.3. Details of the supplier of the safety data sheet

Supplier:

WD-40 Company Limited PO Box 440 MK11 3LF Milton Keynes United Kingdom www.wd40.co.uk

1.4. Emergency telephone number

Emergency telephone: 112

Product name:	WD-40® Multi-Use Product	Page:	2/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is classified:Aerosol, category 1 - Specific Target Organ Toxicity, Single Exposure, category 3 - Aspiration Toxicity, category 1

2.2. Label elements



	Danger
Contains:	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H336	May cause drowsiness or dizziness.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P271	Use only outdoors or in a well-ventilated area.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P211	Do not spray on an open flame or other ignition source.
P301 + P316	IF SWALLOWED: Get emergency medical help immediately.
P331	Do NOT induce vomiting.
P501	Dispose of contents/ container to an approved waste disposal facility.
	Repeated exposure may cause skin dryness or cracking.
	Without adequate ventilation, formation of explosive mixtures may be possible.
2.3. Other hazards	
PBT/vPvB:	This product does not contain any PBT or vPvB substances.
<u>Other:</u>	Aerosol containers can explode when heated, due to excessive pressure build- up. The product contains volatile, organic compounds which have a photochemical ozone creation potential. The product contains organic solvents Organic solvents may be absorbed into the body by inhalation and cause permanent damage to the nervous system, including the brain.

Product name:	WD-40® Multi-Use Product	Page:	3/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: organic solvents, propellants and mineral oil.

	\sim	۱.
U.I.P.		
	~	

<u>%:</u>	CAS-No.:	<u>EC No.:</u>	Chemical name:	Hazard classification:	Notes:
60-80	-	919-857-5	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	•	

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation:	Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.	
<u>Skin contact:</u>	Remove contaminated clothes and rinse skin thoroughly with water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.	
Ingestion:	Aspiration hazard. Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects:	Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure.	
4.3. Indication of any immediate medical attention and special treatment needed		

<u>Medical attention/treatments:</u> Treat symptomatically. If there is any suspicion of aspiration into the lungs either directly or as a result of vomiting, obtain medical advice.

Product name:	WD-40® Multi-Use Product	Page:	4/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media:	Extinguish with carbon dioxide or dry powder. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fi	rom the substance or mixture
Specific hazards:	Aerosol containers can explode when heated, due to excessive pressure build- up. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-	Selection of respiratory protection for fire fighting: follow the general fire
fighters:	precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Do not smoke or use open fire, or other sources of ignition.

6.2. Environmental precautions

Environmental	Avoid discharge into drains, water cou	rses or onto the ground.
precautions:		
6.3. Methods and material for	containment and cleaning up	
		ale and and marked of a local sector

<u>Methods for cleaning up:</u> Absorb spillage with non-combustible, absorbent material. Clean contaminated area with oil-removing material.

6.4. Reference to other sections

References:

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice:	Observe good chemical hygiene practices. Work practice should minimise contact. Avoid inhalation of vapours and spray mists. Avoid contact with skin and eyes.	
Technical measures:	Do not smoke or use open fire or other sources of ignition.	
Technical precautions:	Provide adequate ventilation. Provide easy access to water supply or an emergency shower.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures for safe storage:	Follow the rules for storage of flammable products.	
Storage conditions:	Store in a cool and well-ventilated place. Do not store near heat sources or expose to high temperatures.	
7.3. Specific end use(s)		
<u>Specific use(s):</u>	No information available.	

Product name:	WD-40® Multi-Use Product	Page:	5/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.2. Exposure controls	
Engineering measures:	Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.
Personal protection:	Personal protection equipment should be chosen according to the relevant standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment.
Hand protection:	Risk of contact: Wear protective gloves. It is recommended to use gloves of Viton or nitrile rubber. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Other types of gloves can be recommended by the glove supplier.
Eye protection:	Risk of splashes: Wear goggles/face shield.
Hygiene measures:	Wash hands after handling. Do not eat, drink or smoke when using the product. Change contaminated clothing. Wash contaminated clothing before reuse.
Environmental Exposure Controls:	Not available.

Product name:	WD-40® Multi-Use Product	Page:	6/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Physical state: Aerosol. Colour: Light brown. Odour: Characteristic. Not available. <u>pH:</u> < - 66°C (ASTM D 97) Melting point / freezing point: Boiling point: 176°C (liquid phase) Flash point: 47°C (liquid phase) **Explosive limits** 0.6-8.2% vol. (Main components) Vapour pressure: 7.2 bar (20°C) 9.4 bar (50°C) Not available. Vapour density: Relative density: 0.817 g/ml Insoluble in water. Solubility: Partition coefficient (n-Not available. octanol/water): Not available. **Decomposition** temperature (°C): Viscosity: Kinematic viscosity: 2-3 mm²/s (40 °C) 9.2. Other information Other data: Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity:	Not reactive.
10.2. Chemical stability	
<u>Stability:</u>	Stable under normal temperature conditions.
10.3. Possibility of hazardous	reactions
Hazardous Reactions:	None known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Incompatible materials:	Strong oxides.
10.6. Hazardous decomposition products	
Hazardous decomposition products:	None in particular.

Product name:	WD-40® Multi-Use Product	Page:	7/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Low order of acute toxicity, but aspiration following ingestion and vomiting may cause severe and potentially fatal chemical pneumonitis.

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	May cause drowsiness or dizziness.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	May be fatal if swallowed and enters airways.
Inhalation:	In high concentrations, vapours and spray mists are narcotic and may cause headache, fatigue, dizziness and nausea.
Skin contact:	Prolonged contact may cause redness, irritation and dry skin.
Eye contact:	May irritate and cause redness and pain.
Ingestion:	Low order of acute toxicity, but aspiration following ingestion and vomiting may cause severe and potentially fatal chemical pneumonitis.

Product name:	WD-40® Multi-Use Product	Page:	8/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Not classified as dangerous to the environment. Oil spills are generally hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

12.7. Other adverse effects

<u>Other adverse effects:</u> An oil film may cause physical damage to organisms and disturb the transportation of oxygen in the intermediate zone between air/water or water/air.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Do not puncture or incinerate even when empty.

<u>Contaminated packaging:</u> Empty aerosol containers before disposal.

Product name:	WD-40® Multi-Use Product	Page:	9/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 14: TRANSPORT INFORMATION

The product is covered by international regulation on the transport of dangerous goods (IMDG, ICAO/IATA).

<u>14.1. UN number</u>		
<u>UN-No:</u>	1950	
14.2. UN proper shipping name	<u>e</u>	
Proper Shipping Name:	AEROSOLS, flammable	
14.3. Transport hazard class(e	<u>s)</u>	
<u>Class:</u>	2	
14.4. Packing group		
<u>PG:</u>	-	
14.5. Environmental hazards		
<u>Marine pollutant:</u>	No.	
Environmentally Hazardous substance:	No.	
14.6. Special precautions for user		
Special precautions:	None known.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk:	This product is not intended for transport in bulk.	

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:

Globally Harmonized System of Classification and Labelling of Chemicals (GHS) rev. 7 (2017).

Product name:	WD-40® Multi-Use Product	Page:	10/10
Supersedes date:	2019-03-07	Revision:	2021-06-29
Product No.:		SDS-ID:	ARe-EN/2.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions. The following sections contain revisions or new statements: 2.

Abbreviations and acronyms used in the safety data sheet:	PBT = Persistent, Bioaccumulative and Toxic. vPvB = very Persistent and very Bioaccumulative.
	Flam. Liq. 3 = Flam. Liq. 3;H226 Asp. Tox. 1 = Asp. Tox. 1;H304 STOT SE 3;H336 = STOT SE 3;H336
Additional information:	Classification according to GHS: Health Hazards: Calculation method. Physical Hazards: Expert judgement.
Wording of H-statements:	
H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.